
TRANSPORT FOR NSW • ARCHITECT OF TECHNOLOGY INTELLIGENCE DOSSIER • DOC-PDF-08

Competing Visions, Advocacy Debates & Foundational Architect Study Curriculum

5 Core Transport Tech Debates (Geometry vs. Gadgetbahns, Induced Demand, ABT, MOSA, OT Cyber) + Essential Books, Papers, Standards & Courses

10. Competing Visions, Advocacy Debates & Foundational Study Curriculum for the Transport Tech Architect

Prepared for the Architect of Tech — Transport for NSW (TfNSW)



Enterprise Workflow & System Integration Stack

1. The Five Great Debates Every Transport Tech Architect Must Master

Debate 1: Tech-Solutionism vs. Transit Geometry (Jarrett Walker's "Elite Projection")

- **The Techno-Optimist Pitch:** Point-to-point autonomous pods, underground Tesla tunnels (Boring Company Vegas Loop), or urban air taxis (eVTOLs) will render mass transit buses and heavy trains obsolete.
- **The Geometric Reality (*Jarrett Walker, Alon Levy, Vukan Vuchic*):**
- In any dense metropolitan area like Greater Sydney, **spatial geometry—not vehicle intelligence—is the physical bottleneck**.
- A single $3.5 ext{ m}$ lane of private cars moves **$1,500–2,000 ext{ people/hour/direction (pphpd)}$**.

- Packing autonomous robotaxis closer together moves at most **$2,200–2,500 ext{ pphpd}$** (and drops *lower* if empty dead-heading occurs).
- A protected cycleway moves **$7,500–12,000 ext{ pphpd}$**; a dedicated Bus Rapid Transit (BRT) lane moves **$10,000–20,000 ext{ pphpd}$**; **Sydney Metro (GoA4 CBTC)** moves **$40,000–60,000 ext{ pphpd}$** ($30 imes$ a car lane!).
- **Architect's Synthesis:** Reject low-capacity "gadgetbahns" on trunk corridors. Deploy AI and autonomy to **maximize the frequency and reliability of high-capacity trunk geometry** (GoA4 Metro, ETCS L2 Heavy Rail, SCATS Bus Priority), and use autonomous shuttles, micromobility, and robotaxis strictly as **first/last-mile feeders** in low-density outer suburbs.

Debate 2: Induced Demand & Robin Chase's "Zombie Car" Paradox

- **The Empirical Law (*Duranton & Turner, 2011 — "The Fundamental Law of Road Congestion"*):** Vehicle Kilometers Traveled (VKT) expands in **1:1 proportion** to new highway lane-kilometers because lower travel friction induces latent demand and shifts commuters off public transit (*Downs-Thomson Paradox*).
- **The AV Zero-Occupancy Threat (*Robin Chase & Donald Shoup*):** If private autonomous vehicles are allowed to cruise empty around the Sydney CBD to avoid paying $\$60 ext{/day}$ parking fees, or dead-head back to Penrith between peak hours, VKT will surge by **15–40%**, causing total network gridlock.
- **Architect's Synthesis:** Autonomous vehicle readiness **must** be paired with **Digital Kerbside Management (CDS APIs)**, dynamic Pick-Up/Drop-Off (PUDO) pricing, and **Road User Charging (RUC)** reform (as modeled by **Prof. David Hensher** at USyd ITLS) that heavily penalizes zero-occupancy cruising in congested zones.

Debate 3: Monolithic B2C MaaS Super-Apps vs. Open-Loop ABT (Opal Next Gen)

- **What Happened to MaaS 1.0:** Early B2C "Mobility as a Service" startups (most famously **Whim / MaaS Global** in Helsinki, which declared bankruptcy in 2024) tried to bundle public transit, taxis, and car rentals into proprietary subscription apps. They failed because public transit margins are tiny (1–3%), private ride-hail companies refused to surrender customer ownership, and riders hated being locked into a separate app.
- **What Won (Open-Loop EMV + Account-Based Ticketing + Open APIs):**
- Instead of forcing citizens into a closed MaaS app, **Open-Loop Contactless EMV** (tapping any Visa/Mastercard/Amex or Apple/Google Pay wallet on **Opal Next Gen**) paired with an asynchronous **Account-Based Ticketing (ABT)** back-office engine and open **GTFS-Realtime / MDS / GBFS** feeds won globally.
- **Architect's Synthesis:** Build TfNSW as an **Open Mobility Platform API Provider** (`Opal 2.0` + `Open Data Hub`), letting any consumer map app route trips while TfNSW's back-office enforces automated daily/weekly fare caps and multi-modal transfer credits (e.g., discounting an Opal fare when a commuter parks an e-bike or leaves a car at a Metro commuter car park).

Debate 4: Sovereign Modular Open Systems (MOSA) vs. 30-Year Vendor Lock-in

- **The Historical Trap:** Transport agencies traditionally signed 20-to-30-year turn-key concessions where a single multinational vendor supplied proprietary signalling, SCADA, or tolling hardware and legally owned the internal data schemas—charging millions of dollars for trivial API changes.
- **Architect's Synthesis:** Mandate **MOSA (Modular Open Systems Approach)** in every TfNSW procurement contract:
- **Rail Signalling:** Mandate **EULYNX** standardized IP interfaces between interlocking computers and trackside equipment.

- **Buses & Ferries:** Mandate **ITxPT** plug-and-play onboard IP architecture.
- **EV & Ferry Chargers:** Mandate **OCPP 2.0.1** and **ISO 15118** (no proprietary charger cloud lock-in).
- **Data Sovereignty:** Contractually stipulate that all raw sensor telemetry, LiDAR point clouds, and trained AI weights belong to the Crown in right of NSW and stream into **Digital Twin NSW**.

Debate 5: Human Factors ("Mode Confusion") & Cyber-Physical OT/IT Resilience

- **Human-Automation Pitfalls (*Prof. Missy Cummings*):** Partial automation (SAE Level 2/3) creates dangerous human vigilance decay and "mode confusion." Similarly, flooding Transport Management Centre (TMC) or Rail Operations Centre (ROC) signallers with 50 unprioritized AI alerts during an emergency causes cognitive paralysis.
- **Cyber-Physical Threats:** Connecting SIL-4 railway interlockings, tunnel ventilation PLCs, and SCATS controllers to cloud networks exposes life-critical Operational Technology (OT) to ransomware and **GNSS spoofing/jamming**.
- **Architect's Synthesis:**
- Enforce **IEC 62443** (Industrial Control Systems security) and **TS 50701** (Railway cybersecurity).
- Place **unidirectional hardware data diodes** between safety-critical SIL-4 signalling networks and cloud Digital Twins (so telemetry flows *out* to the cloud twin, but zero packets can ever flow *in* from the internet to the interlocking).
- Equip tunnels, trains, and ferries with **GNSS-denied photonic Inertial Navigation Systems (Advanced Navigation)** and visual/LiDAR SLAM so operations continue seamlessly if GPS is jammed.

---

2. The Foundational Study Curriculum for Every Transport Tech Architect

2.1 Six Essential Books (The Architect's Bookshelf)

- ***Human Transit: How Clearer Thinking about Public Transit Can Enrich Our Communities and Our Lives*** — **Jarrett Walker** (Island Press, Revised 2024)
- *Why Study:* Master the geometry of transit lines, frequency vs. coverage trade-offs, network grid effects, and how to spot "elite projection" in vendor pitches.
- ***Traffic Flow Dynamics: Data, Models and Simulation*** — **Martin Treiber & Arne Kesting** (Springer)
- *Why Study:* The mathematical bible of macroscopic traffic flow (**Lighthill-Whitham-Richards [LWR]** hydrodynamic shockwaves, Fundamental Diagrams) and microscopic car-following (**Intelligent Driver Model [IDM]**)—essential for understanding SCATS DRL and Smart Motorways.
- ***Towards a Physical Internet: Logistics and Supply Chain Management Evolved*** — **Benoit Montreuil, Russell D. Meller, & Eric Ballot**
- *Why Study:* Learn how freight is evolving from fragmented point-to-point trucking into hyperconnected, standardized **π-containers** and automated cross-docking relay hubs.
- ***The High Cost of Free Parking & Parking and the City*** — **Donald Shoup** (Routledge) + ***Mobility as a Service*** — **David Hensher** (USyd ITLS)

- *Why Study:* Understand the microeconomics of kerbside pricing, Road User Charging (RUC), and MaaS bundle elasticity.
- ***Railway Signalling & Interlocking: International Compendium*** — **Gregor Theeg & Sergej Vlasenko** (Eurailpress) + ***Urban Transit: Operations, Planning, and Economics*** — **Vukan R. Vuchic** (Wiley)
- *Why Study:* Master the physics of brick-wall vs. moving-block braking curves, interlocking boolean logic, ETCS Level 2/3, CBTC GoA4, and line capacity equations.
- ***Designing Data-Intensive Applications*** — **Martin Kleppmann** (O'Reilly)
- *Why Study:* The definitive software architecture blueprint for distributed event streaming (Kafka/Flink), time-series/spatial indexing, and fault-tolerant consensus powering Digital Twin NSW and Opal Next Gen.

2.2 Three Seminal Academic Papers

- **Duranton, G., & Turner, M. A. (2011):** *"The Fundamental Law of Road Congestion: Evidence from US Cities,"* **American Economic Review**, 101(6), 2616–2652.
- *Core Proof:* Empirically proves across decades of metropolitan data that expanding road lane capacity increases VKT in exact 1:1 proportion (elasticity $ pprox 1.03$).
- **Geroliminis, N., & Daganzo, C. F. (2008):** *"Existence of urban-scale macroscopic fundamental diagrams: Some experimental findings,"* **Transportation Research Part B**, 42(9), 759–770.
- *Core Proof:* Demonstrates that an entire city neighborhood possesses a reproducible **Macroscopic Fundamental Diagram (MFD)** linking total vehicle accumulation to trip completion rate—forming the mathematical basis for city-wide SCATS perimeter gating.
- **Montreuil, B. (2011):** *"Toward a Physical Internet: Meeting the Global Logistics Sustainability Grand Challenge,"* **Logistics Research**, 3(2–3), 71–87.
- *Core Proof:* Establishes the 13 foundational characteristics of an open, packet-switched global physical logistics network.

2.3 Core Technical Standards Every Architect Must Know by Heart

- **Passenger, Micromobility & Curb Data: GTFS & GTFS-Realtime**, **NeTEx / SIRI** (CEN multimodal exchange), **GBFS** (General Bikeshare Feed Spec), **MDS** (Mobility Data Spec), **CDS** (Curb Data Spec), **ITxPT** (onboard vehicle IP bus).
- **Roads, V2X & EV Charging: NTCIP 1202** (signal controllers), **ETSI EN 302 637-2/-3 (CAM/DENM)** & **SAE J2735** (V2X messages), **IEEE 1609.2** (C-ITS PKI security), **ISO 15118** (Plug & Charge V2G), **OCPP 2.0.1** (charger management), **CharIN MCS** (Megawatt Charging).
- **Rail Safety, Signalling & Cyber: CENELEC EN 50126 / 50128 / 50129** (RAMS & **SIL-0 to SIL-4** safety assurance), **UNISIG SUBSET-026** (ETCS), **IEEE 1474** (CBTC), **EULYNX** (digital interlocking interfaces), **IEC 62443 & TS 50701** (OT/rail cybersecurity).
- **Aviation, Drones & Maritime: ASTM F3411** (Remote ID), **ASTM F3548-21** (UTM USSP interoperability), **JARUS SORA 2.5 / AusSORA** (BVLOS risk assessment), **RTCA DO-178C** (airborne software), **IMO MASS 1–4 & COLREGs**, **IEC 61162-450 / NMEA 2000**.

2.4 Premier University Courses & Open-Source Simulation Sandboxes

- **MIT OpenCourseWare:**
- `1.200J` *Transportation Systems Analysis: Performance and Optimization* (Queueing theory, network equilibrium, MILP routing).
- `1.258J` *Public Transportation Systems* (Headway control, fleet assignment, crew scheduling).
- **TU Delft OpenCourseWare:** *Railway Engineering* (ETCS, track mechanics, catenary-pantograph dynamics) & *Traffic Flow Theory and Simulation*.
- **ETH Zürich (IVT — Prof. Kay Axhausen & Prof. Francesco Corman):** Creators of **MATSim** (`https://www.matsim.org/`), the global open-source standard for multi-million-agent activity-based transport simulation (used by UNSW rCITI and TfNSW).
- **Hands-On Open-Source Simulators to Install & Study:**
- **Eclipse SUMO (`https://eclipse.dev/sumo/`):** Microscopic traffic simulator with Python `TraCI` API for training Deep Reinforcement Learning (PyTorch/RLlib) traffic signal agents.
- **MATSim (`https://www.matsim.org/`):** Large-scale agent-based regional demand and autonomous fleet simulator.
- **ROS 2 & Autoware (`https://autoware.org/`):** Open-source autonomous vehicle perception, LiDAR SLAM, and planning stack.